# φ<sup>2</sup>: Exploring physical Check-Ins for Location-Based Services

# Sebastian Büttner, Henriette Cramer, Mattias Rost, Nicolas Belloni, Lars Erik Holmquist

Mobile Life Centre, Kista, Sweden

{sebastian, henriette, rost, nicolas, leh}@mobilelifecentre.org

#### **ABSTRACT**

This paper presents the  $\phi^2$  ('Phi-square') Scanner and  $\phi^2$  Barcode Generator – an exploration of physical check-ins for location-based services. The system uses 2D barcodes to retrieve and share semantic location information. Users can scan barcodes at venues that activate a location-based application with the corresponding venue page. This system overcomes problems arising when users have to select their location manually. We expect an enhanced user experience using physical artefacts in location-based services.

**Author Keywords** Mobile, Location-based Services, 2D Barcodes, QR-Codes, Physical Check-In

**ACM Classification Keywords** H.5.m [Information interfaces and presentation]

General Terms Design, Human Factors

#### INTRODUCTION

While early location-based services are using geographical coordinates to represent a location, another approach is needed for upcoming location-based social networks, such as MyTown (www.booyah.com >2m users), Foursquare (www.foursquare.com >1.7m users) and Gowalla (www.gowalla.com >0.25m users). They focus on sharing users' location to friends, and thus exact geographical position data is less interesting than sharing more contextualized semantic location information. As an example we consider Foursquare, where users "check-in" at places to share their location with friends and receive points and virtual badges.

 $\phi^2$  ('Phi-square') is a project exploring the connection between the actual 'visible' locations and their virtual representations. We are investigating this by looking at physical check-ins - incorporating the physical environment in the check-ins to an 'invisible' service - and any infrastructure needed for such connections.

## Determining a location in present services

The typical way to achieve the required semantic location information is to let the user choose his location from a list of places, which are close to the position delivered by the cell phones positioning device (GPS "Global Positioning System" or various forms of signal triangulation, e.g. WiFi and GSM).

From a user perspective this approach has two disadvantages: First, its quality fully depends on the location data, which can take time to acquire and has a lower precision indoors, where the GPS signals do not reach. Second, the number of locations presented to a user in a list grows with the density of venues, e.g. in shopping malls are multiple shops on a small space. In this case the user is faced with a long list of venues. The combination of both these drawbacks worsens the user experience, since a quick sharing of a location cannot be assured in all situations.





Figure 1. Barcode sticker for Mobile Life Centre, generated with the  $\phi^2$  Barcode Generator. The barcode is placed at the entrance to let the user retrieve venue information and check-in.

## Exploring different ways of "physical check-ins"

Within the  $\varphi^2$ -project we are exploring different ways to enhance the user experience by using physical artefacts to achieve a "physical check-in" – an action of a user that automatically selects the right venue and checks the user in to share his location. We are using different techniques like 2D barcodes, RFIDs, Bluetooth, etc. and analyse the user perception of the different approaches. We here describe the barcode approach – using 2D barcodes, in this case QR (quick response) codes (www.grcode.com/index-e.html).

The  $\varphi^2$  Scanner and the  $\varphi^2$  Barcode Generator together form a system that allows users to scan barcodes with their mobile phones to share their location on Foursquare (see Figure 1). The visibility of a barcode at the venue creates a similar awareness of the service as the existing Foursquare stickers that have been provided for businesses, reminding the users to check-in [1].

<sup>&</sup>lt;sup>1</sup> Cramer's work was carried out during the tenure of an ERCIM "Alain Bensoussan" Fellowship Programme

## THE Φ<sup>2</sup> SCANNER

The  $\phi^2$  Scanner is an application for mobile phones running the platform Android 1.6 or higher. The application allows users to retrieve venue information and check-in at the location-based social network Foursquare by scanning a 2D barcode that contains a link to the Foursquare venue page. When starting the application, the user views the live video taken from the phones camera with a rectangle and a short description of how to scan the code. As soon as the user places the barcode in the rectangle, the barcode is recognized and the view changes to the Foursquare application, which is opened directly with the corresponding venue page. The user can now check-in to that venue and share his location with friends.

### Implementation

The mobile application is written in Java using the Android SDK on API Level 4. The capability of scanning barcodes is provided by the Zxing barcode reader application (http://code.google.com/p/zxing), which can be accessed via Android's mechanism for launching activities, aka *Intents*. After scanning a barcode, the content of the barcode is returned to the  $\varphi^2$  Scanner, which checks the validity of the link. If the barcode contains a valid link, the ID is used to open the corresponding venue page in the Foursquare application by using its intents.

## THE Φ² BARCODE GENERATOR

Since this application needs an infrastructure in terms of barcodes at venues, we published the  $\phi^2$  Barcode Generator on our project website (http://phi2.mobilelifecentre.org). This barcode generator allows end-users to generate this infrastructure by printing barcode stickers for their venues. Users can enter a name of a venue and its address. If multiple venues are found, the user can select a venue from a list; otherwise the barcode is directly generated and displayed. Another option is to generate the barcode sticker directly by entering the venue ID from the Foursquare database.

## Required information in the barcode

The representation of the venue information is done by encoding the URL of a venue page on Foursquare as a QR code (e.g. http://foursquare.com/venue/364422 encoded in a QR code represents the Mobile Life Centre). This representation was chosen to allow people who do not have Foursquare installed or are unfamiliar with this service to read out the information in the barcode.

### Implementation

The barcode generator is written in PHP using external web services: the Google Geocoding API is used to determine geo coordinates of the entered place. The Foursquare API is used to receive the venue ID of Foursquare. The generated link to the venue page on Foursquare is encoded as a QR barcode, using the QR-Code API from QR Server (www.qrserver.com).

### **USAGE**

The  $\phi^2$  Scanner was downloaded 1.609 times from the Android market within the first month after publishing. In the same time there have been approximately 600 barcode stickers generated by our web service. At the moment there are 784 active installations of the application. This shows that there is an initial interest from users to try the application. However, it is not clear how many installations are in active use, and further work is needed to find out how this kind of services can gain traction in the long run.

### **RELATED WORK**

Multiple projects approach the use of barcodes to receive location information: Pradhan mapped 1D barcodes to URLs to get location information in the CoolTown project of HP Labs [2]. Google sent out QR barcodes to businesses in the US, which are containing links to the corresponding Google pages of those businesses [3]. Hutter et al., developed a framework for using visual tags (BeeTaggs) in mobile applications to retrieve information from multiple location-based services [4]. However, we have found no approaches that focus on the user experience of sharing a location within location-based social networks when using physical artefacts or using tagging technique, like 2D barcodes, to 'check-in'.

## **CONCLUSIONS**

We have introduced the  $\phi^2$  Scanner and  $\phi^2$  Barcode Generator. The  $\varphi^2$  Scanner enables Foursquare users to check-in to venues by scanning 2D barcodes. To allow endusers to create the necessary infrastructure themselves, we also built the  $\omega^2$  Barcode Generator – a tool that lets users print barcode stickers for their venues. As future work we needed to analyze the user perceptions of this tool: we have to compare it with other techniques as well as with the conventional manual check-in process, while also taking the drawbacks of 2D barcodes into account. We believe that the use of physical check-ins and visible connections of physical venues with their virtual counterparts in locationbased services will have a positive impact on the user experience. However, more importantly from a research perspective, we are interested in how perceptions of location-based services and sharing one's location with others are affected by the check-in process and the way location information is represented.

## **REFERENCES**

- Schonfeld, E. Foursquare Check-In Stickers Coming To A Store Window Near You. June 18<sup>th</sup>, 2010 http://tcrn.ch/dvB6tV
- 2. Pradhan, S. 2000. Semantic Location. *Personal Ubiquitous Comput.* 4, 4 (2000), 213-216.
- Schonfeld, E. See That Funny 2D Barcode In The Store Window? It Might Pull Up A Google Listing, TechCruch, Dec 6<sup>th</sup>, 2009, http://tcrn.ch/cOucDq
- 4. Hutter, H., Müggler, T., and Jung, U. 2008. Augmented mobile tagging. In *Proc. MobileHCI 2008*. ACM Press (2008), 319-322.